

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(((multi-cast\$5 multicast\$5) same (authenticat\$5 authori\$5 secur\$5 valid\$5 verif\$5)) and ((authentic\$5 authori\$5 radius aaa) adj3 (server service node portal gateway)) and radius and igmp and ((zhou\$5 liu\$5 zhong\$5 yang\$5 peng\$5). inv. huawei\$5.as.)	US-PGPUB; USPAT	OR	ON	2008/02/20 08:42
L2	20	("20020032780" "20020062388" "20030058827" "20030120817" "20040019786" "20040095954" "20060126651" "5548646" "6188691" "6216167" "6324575" "6577642" "6614787" "6973309" "6996714" "7031288" "7082200" "7116661" "7181530" "RE39360").PN.	US-PGPUB; USPAT	OR	ON	2008/02/20 08:45
S1	98	((@ad<"20020828"@riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur\$5)) and ((port socket) near9 (authenticat\$5 secur\$5))	US-PGPUB; USPAT	OR	ON	2008/02/14 14:47
S2	125	((@ad<"20020828"@riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur\$5 valid\$5 verif\$5)) and ((port socket) near9 (authenticat\$5 secur\$5 valid\$5 verif\$5)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5) near9 (port socket))	US-PGPUB; USPAT	OR	ON	2008/02/14 14:50

S3	0	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur \$5 valid\$5 verif\$5)) and ((port socket) near9 (authenticat\$5 secur\$5 valid \$5 verif\$5)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 drop\$5) near9 (port socket)) and ((delet \$5 eras\$5 destroy\$ tear\$5 disabl\$5) near9 (leav\$5))	US- PGPUB; USPAT	OR	ON	2008/02/14 14:51
S4	0	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur \$5 valid\$5 verif\$5)) and ((port socket) near9 (authenticat\$5 secur\$5 valid \$5 verif\$5)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 drop\$5) near9 (port socket)) and ((delet \$5 eras\$5 destroy\$ tear\$5 disabl\$5 drop\$5) near9 (leav \$5))	US- PGPUB; USPAT	OR	ON	2008/02/14 14:51
S5	125	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur \$5 valid\$5 verif\$5)) and ((port socket) near9 (authenticat\$5 secur\$5 valid \$5 verif\$5)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5) near9 (port socket))	US- PGPUB; USPAT	OR	ON	2008/02/15 09:14
S6	21	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur \$5 valid\$5 verif\$5)) and ((port socket) near9 (authenticat\$5 secur\$5 valid \$5 verif\$5 \$3lan)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 remov\$4 deactivat\$5) near9 (port socket)) not S5	US- PGPUB; USPAT	OR	ON	2008/02/15 09:14

S7	0	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur \$5 valid\$5 verif\$5)) and radius and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 remov\$4 deactivat\$5) near9 (port socket)) not S5	US- PGPUB; USPAT	OR	ON	2008/02/15 09:29
S8	6367	((@ad<"20020828" @riad<"20020828") and radius and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 remov\$4 deactivat\$5) near9 (port socket)) not S5	US- PGPUB; USPAT	OR	ON	2008/02/15 09:30
S9	0	S8 and ((multi-cast\$5 multicast\$5) same (authenticat\$5 secur\$5 valid \$5 verif\$5)) not S5	US- PGPUB; USPAT	OR	ON	2008/02/15 09:37
S10	104	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authenticat\$5 secur \$5 valid\$5 verif\$5)).ab.	US- PGPUB; USPAT	OR	ON	2008/02/15 09:39
S11	34	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authenticat\$5 authori \$5 secur\$5 valid\$5 verif \$5)).ab. and ((authentic\$5 authori\$5 radius aaa) adj3 (server service node))	US- PGPUB; USPAT	OR	ON	2008/02/15 09:58
S12	34	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authenticat\$5 authori \$5 secur\$5 valid\$5 verif \$5)).ab. and ((authentic\$5 authori\$5 radius aaa) adj3 (server service node portal gateway))	US- PGPUB; USPAT	OR	ON	2008/02/15 09:59
S13	432	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authenticat\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and ((authentic\$5 authori\$5 radius aaa) adj3 (server service node portal gateway)) not S12	US- PGPUB; USPAT	OR	ON	2008/02/15 10:13

S14	21	S13 and ((port socket) near9 (authenticat\$5 secur\$5 valid\$5 verif\$5 \$3lan)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 remov\$4 deactivat\$5) near9 (port socket))	US-PGPUB; USPAT	OR	ON	2008/02/15 10:14
S15	31	S13 and ((port socket) near9 (authenticat\$5 authori\$5 permi\$5 allow\$5 grant\$5 secur\$5 valid\$5 verif\$5 \$3lan)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 remov\$4 deactivat\$5) near9 (port socket)) not (S6 S12)	US-PGPUB; USPAT	OR	ON	2008/02/15 10:15
S16	125	((@ad<"20020828"@rlad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur\$5 valid\$5 verif\$5)) and ((port socket) near9 (authenticat\$5 secur\$5 valid\$5 verif\$5)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5) near9 (port socket))	US-PGPUB; USPAT	OR	ON	2008/02/15 11:48
S17	21	((@ad<"20020828"@rlad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authenticat\$5 secur\$5 valid\$5 verif\$5)) and ((port socket) near9 (authenticat\$5 secur\$5 valid\$5 verif\$5 \$3lan)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disabl\$5 remov\$4 deactivat\$5) near9 (port socket)) not S16	US-PGPUB; USPAT	OR	ON	2008/02/15 11:48
S18	34	((@ad<"20020828"@rlad<"20020828") and ((multi-cast\$5 multicast\$5) same (authenticat\$5 authori\$5 secur\$5 valid\$5 verif\$5)).ab. and ((authentic\$5 authori\$5 radius aaa) adj3 (server service node portal gateway))	US-PGPUB; USPAT	OR	ON	2008/02/15 11:48

S19	432	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and ((authentica\$5 authori\$5 radius aaa) adj3 (server service node portal gateway)) not S18	US- PGPUB; USPAT	OR	ON	2008/02/15 11:48
S20	31	S19 and ((port socket) near9 (authentica\$5 authori \$5 permi\$5 allow\$5 grant\$5 secur\$5 valid\$5 verif\$5 \$3lan)) and ((delet\$5 eras \$5 destroy\$ tear\$5 disab\$5 remov\$4 deactivat\$5) near9 (port socket)) not (S17 S18)	US- PGPUB; USPAT	OR	ON	2008/02/15 11:48
S21	0	S19 and ((port socket) near9 (authentica\$5 authori \$5 permi\$5 allow\$5 grant\$5 secur\$5 valid\$5 verif\$5 \$3lan match\$3 search\$5 locat\$5 find\$3 found query \$5)) and ((delet\$5 eras\$5 destroy\$ tear\$5 disab\$5 remov\$4 deactivat\$5) near9 (port socket)) not (S17 S18 S20)	US- PGPUB; USPAT	OR	ON	2008/02/15 11:48
S22	12	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and ((authentica\$5 authori\$5 radius aaa) adj3 (server service node portal gateway)) and radius and igmp	US- PGPUB; USPAT	OR	ON	2008/02/15 13:08
S23	16	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and ((join leave) near9 (multicast multi-cast group)) and radius and igmp	US- PGPUB; USPAT	OR	ON	2008/02/15 16:09

S24	0	((@ad<"20020828" @rlad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and ((join leave) near9 (command message multicast multi-cast group)) and radius and igmp not S23	US- PGPUB; USPAT	OR	ON	2008/02/15 16:11
S25	9	((@ad<"20020828" @rlad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and ((join leave) adj message) and radius and igmp	US- PGPUB; USPAT	OR	ON	2008/02/19 11:10
S26	10	((@ad<"20020828" @rlad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and (vlan) and radius and igmp	US- PGPUB; USPAT	OR	ON	2008/02/19 11:13
S27	10	((@ad<"20020828" @rlad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and (vlan (virtual adj lan)) and radius and igmp	US- PGPUB; USPAT	OR	ON	2008/02/19 11:15
S28	42	((@ad<"20020828" @rlad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and (vlan (virtual adj lan)) and igmp not S26	US- PGPUB; USPAT	OR	ON	2008/02/19 11:15
S29	13	((@ad<"20020828" @rlad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and (vlan (virtual adj lan)) and igmp not S26 and ((join leave) adj message)	US- PGPUB; USPAT	OR	ON	2008/02/19 11:16

S30	18	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and (vlan (virtual adj lan)) and igmp not S26 and ((join leave) near3 (message request notif\$5))	US- PGPUB; USPAT	OR	ON	2008/02/19 11:16
S31	17	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)) and (vlan (virtual adj lan)) and igmp not S26 and ((join leave) near3 (message request notif\$5)) and ((join\$5 leav\$5) same port)	US- PGPUB; USPAT	OR	ON	2008/02/19 11:21
S32	0	((@ad<"20020828" @riad<"20020828") and (vlan (virtual adj lan)) and igmp not S26 and ((join leave) near3 (message request notif\$5)) and ((join \$5 leav\$5) same port) and "559738".ap.	US- PGPUB; USPAT	OR	ON	2008/02/19 11:27
S33	1	((@ad<"20020828" @riad<"20020828") and (vlan (virtual adj lan)) and "559738".ap.	US- PGPUB; USPAT	OR	ON	2008/02/19 11:27
S34	26	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authentica\$5 secur \$5 valid\$5 verif\$5)) and ((port socket) near9 (authentica\$5 secur\$5 valid \$5 verif\$5)) and (user\$5 near5 password)	US- PGPUB; USPAT	OR	ON	2008/02/19 15:20
S35	41	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authentica\$5 secur \$5 valid\$5 verif\$5 portal)) and (user\$5 near5 password) not S34	US- PGPUB; USPAT	OR	ON	2008/02/19 15:28

S36	0	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) near9 (authentica\$5 secur \$5 valid\$5 verif\$5 portal regist\$5 subscr\$5)) and (user\$5 near5 password) not (S34 S35) and vlan	US- PGPUB; USPAT	OR	ON	2008/02/19 15:37
S37	2	((((carrier signal carrying modulat\$3 propagat\$5 wireless frequency air transmission communication RF radio) near9 (medium means media stor\$5 communication)) (software program instruction java applet servlet (computer near9 (code language))) and "502543".ap.	US- PGPUB; USPAT	OR	ON	2008/02/19 16:56
S38	29	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)).dm. and ((authentic \$5 authori\$5 radius aaa) adj3 (server service node portal gateway)).dm.	US- PGPUB; USPAT	OR	ON	2008/02/19 17:00
S39	38	((@ad<"20020828" @riad<"20020828") and ((multi-cast\$5 multicast\$5) same (authentica\$5 authori \$5 secur\$5 valid\$5 verif \$5)).dm. and ((authentic \$5 authori\$5 radius aaa) near5 (server service node portal gateway)).dm.	US- PGPUB; USPAT	OR	ON	2008/02/19 17:00

2/20/08 9:05:04 AM

C:\Documents and Settings\gbengzon\My Documents\EAST\Workspaces\GCB 10502543
Controlled Multicast.wsp